

- Run multiple types of displays through a single, unified server
- Manage all Samsung SMART Signage remotely from a central location
- Access MagicInfo Server from virtually anywhere with a web connection
- Extend usability with server-dependent enriched features such as Backup Player, DataLink Server, Audience Measurement and etc.
- Take advantage of the most advanced usability and a modern, simplified User Interface



Run multiple types of displays through a single, unified server

The real power within Samsung MagicInfo Server lies with its ability to provide multiple network-based solutions for displays that are situated in different settings, whether onsite or offsite. Another hallmark of MagicInfo Server is its compatibility and capacity to seamlessly operate across connected Samsung SMART Signage devices such as standalone displays, video wall displays, semi-outdoor and outdoor displays, small signage displays, eBoard displays and more. IT managers can be more empowered now than ever through being able to conveniently and expediently oversee the status of multiple displays situated throughout the premises or company from a single location, and opt to either control the displays on the fly or according to a pre-determined schedule.

Manage all Samsung SMART Signage remotely from a central location

Upon configuring all of their Samsung SMART Signage to tie into MagicInfo Server, companies can unlock new levels of value through having the capability to remotely monitor and manage displays. This bypasses the tediousness and inefficiency from having to oversee displays wherever they happen to be situated. Remote monitoring encompasses everything from being able to turn the Samsung SMART Signage on and off to being able to uphold quality assurance of digital messaging through seeing the content being played on the device in real time. MagicInfo Server is the bridge that allows for a countless number of networked displays to be managed at once.



Access MagicInfo Server from virtually anywhere with a web connection


Any display on your global network can now be managed remotely if web access is enabled. Convenience and flexibility is further underscored as content or system administrators can connect with MagicInfo Server through simply inputting an IP address or server URL into the address bar of a web browser. Using the web-based server UI, a manager can conduct all digital signage infrastructure management tasks such as monitoring and controlling displays, managing content and schedules, analyzing audience measurement data and more.




Extend usability with server-dependent enriched features

Backup Player

The Backup Player adds a robust dimension of security and sustainability through its role of ensuring visual uptime of your vital content, even in the event that any given display goes down or begins to exhibit problems. Through designating a particular display to effectively function as the Backup Player for another display that is projecting critical content, MagicInfo Server will immediately intervene and re-task the content on the Backup Player in order to relay the primary display's prioritized information. All this happens through the immediacy and responsiveness of MagicInfo Server's core functionality for real-time monitoring and troubleshooting. Once the problematic display is back on-line again within your display network, MagicInfo Server re-tasks the displays once again to revert back to their default configurations.






DataLink

MagicInfo Server can be leveraged by your Samsung SMART Signage to make use of its dynamic DataLink functionality. DataLink acts as a conduit for your display solution and allows for its content to tie in with remote database sources. By always being assured of having the automated capacity to provide updated content without having to manually and individually edit the content for each display, you can have peace of mind knowing that customers are being reached with timely and targeted information without any effort needed on your part. RSS feeds are also supported by MagicInfo Server, allowing your network of displays to feature text-based information such as weather and financial information as needed.

Audience Measurement

Also within Samsung MagicInfo Server, Audience Measurement allows for harvesting of customer recognition data based on age and gender when the camera option is installed on the display. The function is automatically activated and works only when the dedicated camera is connected.

The software solution includes two major features: Dynamic Content Play and Data Statistics.



What's new in MagicInfo Server 4.0

MagicInfo Server has been upgraded from Ver. 3.1 to 4.0. MagicInfo Server 4.0 has been visually and technically overhauled with enhanced functionality and usability from its prior version. The uniform experience throughout all MagicInfo Solutions will deliver the same level of satisfaction on ease of use and powerful management function regardless the size of the organization may be.

Totally new UI for better	functionality and usability				
Consistent Menu Structure throughout software family	Ensuring consistency of menu and layout structure between MagicInfo Server v4.0 and MagicInfo Express 2 UI				
Intuitive Menu Structure	Left to right menu navigation is now more intuitive and design layout for menus has been optimized				
Simplified scheduling with GUI	Supports rapid scheduling by minimizing the number of steps and popups. Just drag and drop to add content and adjust playing time				
Web Author	Streamlined content creator base on the same UI of MagicInfo Express 2. A consistent user interface is now assured between Server 4.0 and Web Author.				
New and enhanced features for easier content management					
New History Tab	New history tab opens up multi-tasking capability, allowing you to easily start, close or switch between works				
Quick Edit	Quick Edit feature enables users to directly edit content, period and playing time from schedule lists without needing to enter the 'Edit Schedule' menu				
Direct data uploadwithout add-in installation	No more need to install JavaScript to upload. The upload interface has been simplified through the integration of a drag and drop function				
Convenient status barto check file upload	Status bar supports the ability to monitor both the publishing status and upload status in real time while working on other pages. Maximize status bar to view more detailed information				
Upgraded device management for centralized management					
Easy device tagging	Assigning different tags to each device at a time has become simpler and more intuitive through use of drag and drop capability within the same pop-up				
Enhanced search capability	Upgraded search feature now supports diverse search keywords such as location, model name, firmware name as well as IP and device name				
Unified Group	Premium and Lite has now been unified, simplifying the overall device structure. This allow for users to be able to schedule and manage all devices consistently				

Summary

Solution	MagicInfo Server				
Management Model	Network Management				
Components	Server	MagicInfo Server 4.0			
	Player	MagicInfo Player I/S, S2, S3/ S4*			
	Content Creator	MagicInfo Author MagicInfo Videowall Author			
	Optional	DataLink Server			
		Audience Management			
Use Right	License Required (per display)				
# of Concurrent Display connection with Solution	Virtually Unlimited				
Function	 Content Creation Content Scheduling Deployment (Network, USB) Display Monitoring Display Control Display Firmware Update Database Integration Statistics (Display, Content, Audience) 				
Recommend To	 All forms of industries requiring central management of SMART signage and remote access to MagicInfo Server When advanced functions of server are required (i.e. DB connection, Display Control, Statistics, etc.) 				

^{*} MagicInfo Player I/S, S2, S3/S4 are able to be provided as embedded or installed in SMART Signage, Set Back Box(SBB) or Plug-in-Module(PIM) products by default.

System Requirements

# of displays connected to Server	<10	<200	<2000	< 5000	< 5000		
OS	Windows Server® 2008 / 2012		Windows Server® 2008 / 2012 R2 64 bit				
CPU	Intel® i3 or better	Intel Xeon E3-1200 or better	Intel Xeon E5-2400 or better	Intel Xeon E5-2600 or better	Intel Xeon E5-4600 or better		
RAM	2 GB or more	4 GB or more	8 GB or more	16 GB or more	32 GB or more		
HDD	At least 100 GB for setup (operating system and server application) + Space for content						
Network Bandwidth	64 kbps or better						
Number of Servers	1	1	2	3	3 or more;		

About Samsung

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at news.samsung.com.

For more information

For more information about Samsung SMART Signage MagicInfo Solutions, visit www.samsung.com/business or www.samsung.com/displaysolutions.

Copyright © 2016 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Windows is either registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Android is a trademark of Google Inc.

Mac and iOS are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Samsung Electronics Co., Ltd. 416, Maetan 3-dong, Yeongtong-gu Suwon-si, Gyeonggi-do 443-772, Korea

www.samsung.com

2016-06



